

IN STOCK AT      LINE CARD

# COUNTY LINE LUMBER CO.

## LUMBER

<u>Type</u>		<u>Height x width</u>	<u>Length</u>
<u>Framing Lumber</u>	2 & Better Select Structural grade	2"x4" & 2"x6"	8', 10', 12', 14', 16', 18' & 20'
<u>Kiln Dried Hem Fir</u>		2"x8", 2"x10" & 2"x12"	8', 10', 12', 14' & 16'
	<u>Timbers</u>	4"x4"	8', 10' & 12'
	<u>Studs</u>	2"x4" & 2"x6"	Studs 92' 5/8, 104' 5/8, 116' 5/8
<u>Cedar</u>	<u>Select tight knot</u>	1"x4" to 1"x12"	12' & 16'
	<u>Select tight knot</u>	2"x4" to 2"x12"	12' & 16'
	<u>Decking - Select grade</u>	5/4"x6"	8', 12' & 16'
<u>Cedar Fence</u>	<u>Dog Eared Pickets</u>	1"x4" & 1"x6"	6'
	<u>Rails</u>	2"x4" & 2"x6"	10'
	<u>Posts</u>	4"x4"	8'
<u>Redwood</u>	<u>Con Common</u>	2"x6"	10', 14' & 18'
<u>Pine</u>	<u>#2 Grade S4S</u>	1"x4" to 1"x12"	8', 12' & 16'
	<u>#3 Grade S4S</u>	1"x4" to 1"x12"	12' & 16'
<u>Pressure Treated</u>	<u>Ground Contact KDAT</u>	2"x4", 2"x6", 2x8, & 2x12	12' & 16'
	KDAT=Kiln Dried After Treated		
	<u>Timbers</u>	4"x4"	8, 12' & 16'
		4"x6"	8'
		6"x6"	8' Landscape
		6"x6"	10' & 12' Structural
	<u>Non Combustable (fire treated)</u>	2"x4" & 2"x6"	12'

## HARDWOODS

<u>Type</u>		<u>Thickness</u>	<u>Width &amp; Length</u>
Poplar	Kiln Dried S4S	4/4"	2"-12" Wide & Random length
Red Oak & Hard Maple	Smooth 2 Sides	4/4", 5/4", 8/4"	Random

## ENGINEERED WOOD PRODUCTS

<u>Type</u>		<u>Thickness</u>	<u>Width</u>
I Joists ~ Roseburg	RFPI 400	2-1/16"	9-1/2", 11-78"
	2.0 LVL	1-3/4"	5 1/2", 7-1/4", 9-1/2", 11-7/8" & 14"
	RIM Board	1-1/8"	9-1/2", 11-7/8", 14"
	LP Smart Start	2"	2" & 6"
	Stud Trims 104' & 116'	2"	4"

## PANELS

<u>Type</u>		<u>Thickness</u>	<u>Width x Length</u>
OSB (Oriented Strand Board)	Structural	7/16"	4'x8', 4'x9, 4x10, 4x134" Quake Zone
		15/32 (1/2")	4'x8'
		5/8"	4'x8'
	SQ. Edge and T&G Flooring	3/4"	4'X8'
Specialty Sheathing	Huber Zip System	7/16"	4'x8' & 4'x10'
		1/2"	4'x8'
	Huber Insulated panel	R6 1 1/2" net	4'x8'
	Advantec Subfloor	3/4"	4'x8'
MDF	Medium-density fibreboard	1/4", 1/2" & 3/4"	4'x8'
Plywood	Fir		4'x8'
	CDX Grade Ext. Glue	3/8", 1/2", 5/8", 3/4"	4'x8'
	Sturdifloor Grade	3/4" T&G	4'x8'
	Oak & Birch A-1 Grade	1/4"	4'x8'
	Pressure Treated, Above Ground	1/2", 3/4"	4'x8'
	Pressure Treated, Non-combustable	1/2", 3/4"	4'x8'
	ACX Grade Ext. Glue	1/4", 3/8", 1/2", 5/8", 3/4"	4'x8'

## SIDING

<u>Type</u>	<u>Thickness</u>	<u>Width x Length</u>
Hardboard Textured & Smooth	7/16"	12"x16'
Smart Panel Textured & Smooth Primed	7/16"	4'x8'
Hardiplank Textured	5/16"	8-1/4"x12'
Hardipanel Textured & Smooth	5/16"	4'x8'
Smart Trim Exterior Textured & Smooth	1"x2" to 1"x12"	16'
	5/4"x2" to 5/4"x12"	16'

## MDF (MEDIUM DENSITY FIBERBOARD)

<u>Type</u>		<u>Thickness x width</u>	<u>Length</u>
Exterior Trim	Reversible, Primed	1"x2" to 1"x12"	16'
		5/4"x2" to 5/4"x12"	16'
Interior	Eased Edge, Primed	1"x4" to 1"x12"	16'

## INSULATION

<u>Type</u>			
Fiberglass Faced	Fiberglass Unfaced	Dow Rigid 1" & 2"	Dow Sill Sealer

## SPECIALTIES & ACCESSORIES

Simpson Steel Connectors		Concrete Mix	
Simpson Joist Hangers		Sand Mix	
Portland Cement		Masonry Mix	
Play Sand		Mortar Mix	
<b><u>Type</u></b>		<b><u>Length &amp; Width</u></b>	<b><u>Thickness</u></b>
Drywall	Regular	4'x8'	1/2"
	Firecode	4'x8'	5/8"
	Moisture Resistant	4'x8'	1/2"
Steel	Rebar	2'	1/2"
	Rebar	20'	3/8", 1/2" & 5/8"
	Tee Posts	5 & 1/2'	
	Steel Stakes	2'	
	Studs and Track		
Concrete Block		4"x8"	16"
		8"x8"	8"
		8"x8"	16"

Plus

A complete Hardware store, if we don't have it we can order it for you!!!

and

We can refer a builder, contractor, or installer for any job. Just ask.